

# Inventory & SDS Verification



September 23, 2020 Page

## HMRA Holdings Report


<p><b>Base:</b> BORDEN  <b>Formation:</b> TECHNICAL SERVICES - BORDEN  <b>Unit:</b> BASE MAINTENANCE  <b>Contact:</b> SGT DARRYL SHERIDAN tel.:705-424-1200 X2730  <b>Section:</b> TOOL CRIB  <b>Contact:</b> MELISSA HENDERSON tel.:705-424-1200-2766</p>	<p><b>Location:</b> BORDEN, ONT - CANADIAN FORCES BASE  <b>Building:</b> O-95 CAPT LLOYD GEORGE RUPERT BUILDING  <b>Room:</b> TOOL CRIB HALLWAY Floor: 1  <b>Storage Area:</b> HAZMAT CABINET HALL-10  <b>Date Last Modified:</b> 23-SEP-2020</p>
--	---



Archived	Procure	Status	HMRA ID	Manufacturer	Brand Name	Qty	Max	Container
			19744	RECOCHEM INC	ANTIFREEZE/COOLANT	1	10	3.78 L JUG
			19744	RECOCHEM INC	ANTIFREEZE/COOLANT	1	6	9.46 L JUG
			29482	GENERAL MOTORS CANADA LTD	ACDELCO DEX-COOL EXTENDED LIFE ANTIFREEZE/COOLANT	4	6	3.78 L JUG
			37319	HALL CHEM MFG INC	RADPRO LONG LIFE ANTIFREEZE/COOLANT	0	3	3.78 L JUG
✓	DISCONTINUED		38944	PRESTONE PRODUCTS (CANADA)	CELSIUS BY PRESTONE ALL VEHICLE ANTIFREEZE/COOLANT	2	3	3.78 L JUG
✓	DISCONTINUED		48590	DEUTSCHE PENTOSIN-WERKE GMBH	PENTOSIN LONG-TIME ANTIFREEZE	4	5	1.5 L BOTTLE
			55162	MERCEDES-BENZ CANADA	G-48 ANTIFREEZE COOLANT	0	2	3.78 L JUG
			60972	RECOCHEM INC	ANTIFREEZE / COOLANT - 86-669	3	4	3.78 L JUG
			73471	CRP INDUSTRIES	PENTOFROST A3	8	8	3.78 L CONTAINER
			73690	CRP INDUSTRIES	PENTOFROST A1 PREDILUTED	8	8	3.78 L CONTAINER
			73691	CRP INDUSTRIES	PENTOFROST A2 PREDILUTED	8	8	3.78 L CONTAINER
			73692	CRP INDUSTRIES	PENTOFROST A4	3	6	3.78 L CONTAINER

End of Report


















PROHIBÉ À VERSER

RECOCHEM INC

For SDS, HMRA ID:

ANTIFREEZE / COOLANT - 86-669

War



**HAZARDS**


May cause damage to organs (kidneys) through prolonged or repeated exposure. \* Harmful if swallowed

**PRECAUTIONS**

Prevention  
Do not breathe fume, mist, vapours, spray. \* Wash hands and skin thoroughly after handling. \* Do not eat.

**HEAT BODY**  
**POUR MOTEUR À**  
**GRANDE PUISSANCE**

**ANTIFREEZE/COOLANT**  
**ANTIGEL / LIQUIDE DE**  
**REFROIDISSEMENT**



- Low silicate
- Phosphate free
- Does not require inhibitor
- Faible teneur en silicate
- Sans phosphates
- Ne requiert pas de conservateur



# ACDelco

  
**dexcool™**  
GM APPROVED / CERTIFIÉ

**Concentrate Extended Life Antifreeze/Coolant**

**Concentré Antigél/liquide de  
Refroidissement Protection Étendue**

- Distinctive Orange Color • 5 years/240,000 kilometers protection
- Superior water pump life
- Couleur orange distinctive • Protection de 5 ans / 240 000 kilomètres
- Vie utile supérieure de la pompe à eau

10953

ACDELCO DEX-COOL EXTENDED LIFE ANTIFREEZE/COOLANT



### Warning

**HAZARDS:**

May cause damage to organs (kidneys) through prolonged or repeated exposure.\* Harmful if swallowed.\* Suspected of damaging the unborn child.

**PRECAUTIONS:**

**Prevention**

Obtain special instructions before use.\* Do not handle until all safety precautions have been read and understood.\* Do not breathe vapour or mist.\* Wash exposed skin thoroughly after handling.\* Do not eat, drink or smoke when using this product.\* Wear protective gloves and eye protection.

**Response**

**IF SWALLOWED:** Call a POISON CENTER or doctor if you feel unwell.\* IF exposed or concerned: Get medical advice/attention.\* Rinse mouth.

For SDS, see HMRA ID: 29482  
GENERAL MOTORS CANADA LTD

tel. 905-644-1026

3.78 L

P-6577




389191961LOT009



RECOCHEM INC

ANTIFREEZE/COOLANT

DANGER



**HAZARDS**

May damage fertility or the unborn child\* May cause damage to organs (kidneys) through repeated or repeated exposure following skin contact and/or if swallowed\* Harmful if swallowed

**PRECAUTIONS**

Prevention

RECOCHEM INC

Ex. SDS HARRA © 12/04


**EXTENDED LIFE**  
**ANTIFREEZE/COOLANT**  
**ANTIGEL / LIQUIDE DE REFROIDISSEMENT**  
**A PROTECTION ETENDUE**

ADD TO ANY COLOR ANTIFREEZE/COOLANT  
S'AJOUTE A TOUT ANTIGEL / LIQUIDE DE  
REFROIDISSEMENT PEU IMPORTANTE LA COULEUR

RECOCHEM INC  
12/04







**Safety Data**

**Antifreeze/Coolant**

**SECTION 1. IDENTIFICATION**

**Product Identifier** Antifreeze/Coolant

**Other Means of Identification** 16-242, 16-244, 16-244LAU, 16-245, 16-284, 16-284GD, 16-285, 16-924, 26-24E, 26-248-1000, 26-248LAU, 26-248PC, 26-249HD-1000, 26-289, 26-289-1000, 26-289-1000, 26-378RLAU, 26-769-1000, 26-929, 26-929-1000, 26-929PC, 26-929RLAU, 35-235-759E, 36-241SO, 36-241U/N, 36-244APREXP, 36-244AX, 36-244AXEXP, 36-244CHR, 36-244CQ, 36-244E, 36-244FEDEXP, 36-244FS, 36-244PC, 36-244PMEXP, 36-244PPEXP, 36-244PROFEXP, 36-244RAD, 36-244SH, 36-244SP, 36-244SPROEXP, 36-244STP, 36-244STPEXP, 36-244TH, 36-244TU, 36-244U/N, 36-244UFA, 36-244UG, 36-244WM, 36-244WM-S, 36-245UFA, 36-249CHR, 36-249E, 36-249GBW, 36-249SPROEXP, 36-249U/N, 36-254SO, 36-284E, 36-284FE, 36-284FOEXP, 36-284FS, 36-284STPEXP, 36-289E-1000, 36-289FOEXP, 36-289FOEXP-1K, 36-289FS, 36-704JCBEXP, 36-924SH, 55-924, 86-244-PRO, 86-244SY, 86-249, 86-249-1000, 86-284, 86-289, 86-699JD-1000, 86-924, BULK-16240HD, BULK-16245, BULK-16280, BULK-86245, BULK-86280

**Other Identification** UF701 Coolant Concentrate

**Recommended Use** Please refer to Product label.

**Restrictions on Use** None known.

**Manufacturer/Supplier Identifier** Reccochem Inc., 850 Montee de Liesse, Montreal, QC, H4T 1P4, Compliance and Department, 905-878-5544, www.reccochem.com



**Emergency Phone No.** CANUTEC, 613-996-6666, 24 Hours

**SDS No.** 1773

**SECTION 2. HAZARD IDENTIFICATION**

**Classification**  
Acute toxicity (Oral) - Category 4; Reproductive toxicity - Category 1B; Specific target organ toxicity (repeated exposure) - Category 2

**Label Elements**

**Signal Word:**  
Danger

**Hazard Statement(s):**  
 H302 Harmful if swallowed.  
 H360 May damage fertility or the unborn child.  
 H373 May cause damage to organs (kidneys) through prolonged or repeated exposure followed by acute exposure and/or if swallowed.

---

Product Identifier: Antifreeze/Coolant - Ver. 1  
 Date of Preparation: September 13, 2017  
 Date of Last Revision:

SDS  
Page

Quicktj: 6385



29 482



Distributed By:  
Castrol 181-8224  
1-800-223-3326  
www.acdelco.com

10-101, 12346290, 10-125, 12378512 ACDelco Dexcool Antifreeze  
Extended Life Coolant

SDS584  
ACDelco DEX-COOL EXTENDED LIFE  
ANTIFREEZE COOLANT  
Date Prepared: 08/05/2016

### SAFETY DATA SHEET

#### 1. Product And Company Identification

SDS ID: SDS584  
PRODUCT NAME: ACDelco DEX-COOL Extended Life Antifreeze/Coolant  
PRODUCT NUMBER: 88863334, 88862642, 88863342, 10953464, 1000953031, 12377912/F, 12378512/F, 19242091,  
19261992, 12346290, 88862171, 88862172, 10953031, 10953527  
FORMULA NUMBER: YA-956B, YA-956B-B

MANUFACTURER: Prestone Products Corporation 69 Eagle Rd. Danbury, CT 06810	CANADIAN OFFICE: AutoSupply Acquisition Canada Inc. 33 MacIntosh Blvd. Concord, ON L4K 4L5	MEXICO OFFICE: ASG Operations Mexico S. de R.L. de C.V. Carretera Mexico Cuautitlan, Kilometro 31.5, Nave Industrial 5, Loma Bonita, Cuautitlan, Mexico, 54800
--	--	--

MEDICAL EMERGENCIES AND ALL OTHER INFORMATION PHONE NUMBER:  
(888)269-0750 (in the US and Canada)  
01-800-715-4135 (in Mexico)

TRANSPORTATION EMERGENCY PHONE NUMBER (Chemical Spills and Transport Accidents only):  
CHEMTREC 1-800-424-9300 (in the US and Canada) +1 703 741-5970 (outside the US and Canada)

PRODUCT USE: Automobile antifreeze – consumer product  
RESTRICTIONS ON USE: None identified

#### 2. Hazards Identification

37319



1270 Nobel  
Boucherville, Quebec J4B 5H1  
Tel: (450) 645-0296 - Fax: (450) 645-9565

### SAFETY DATA SHEET

#### 290-2 RADPRO LONG LIFE ANTIFREEZE/COOLANT

##### SECTION 1. IDENTIFICATION

Name of product: RADPRO LONG LIFE ANTIFREEZE/COOLANT  
Other means of identification: RA290-03, RA290-45, RA290-1100&2HRA290  
SDS number: 290-2

Use of product: Diesel engines coolant. Please refer to Product label.

Company Identification  
HALL CHEM MFG. INC.

1270 rue Nobel  
Boucherville QC J4B 5H1  
Tel.: (450) 645-0296  
Fax: (450) 645-0444

EMERGENCY TELEPHONE NUMBER  
24-Hour Emergency Contact CANUTEC: 613-996-6666  
Local Emergency Contact: 613-996-6666

##### SECTION 2. HAZARD IDENTIFICATION

GHS Classification:  
Acute toxicity (Oral) - Category 4; Specific target organ toxicity (repeated exposure) - Category 2;  
Serious eye damage/eye irritation - Category 2A.

GHS Label Elements:

Hazard pictograms:



38944

# MATERIAL SAFETY DATA SHEET

*HRU*

Prestone Products (Canada) Ltd  
4950 Yonge Street, Suite 810  
North York, Ontario M2N 6K1  
(416) 225-8865

Emergency Telephone  
(24 Hours)  
CANUTEC  
(613) 998-8868

HAZARD RATING  
4 = Extreme  
3 = High  
2 = Moderate  
1 = Slight  
0 = Insignificant  
NFPA Hazard Identification

Fire - 1  
Health - 2  
Reactivity - 0  
Specific

## POISON CONTROL CENTRES

**ONTARIO**  
Toronto (416) 598-5900 or 1-800-268-9017  
Ottawa (613) 737-1100 or 1-800-267-1372 (French & English)

**QUEBEC**  
Ste. Foy (418) 858-8090 or 1-800-463-5050

**ATLANTIC REGION**  
Halifax (902) 428-8181  
St. John's (709) 721-1110

**WESTERN CANADA**  
Vancouver (604) 862-5050  
Calgary (403) 870-1414 or 1-800-332-1414

## II. IDENTIFICATION

**PRODUCT NAME:**  
**TYPE:**  
**STOCK:**  
**FORMULA:**

CELSIUS by Prestone All Vehicle Antifreeze/Coolant  
Inhibited Ethylene Glycol  
11502, 11519  
YA-943

## III. PHYSICAL DATA

<b>BOILING POINT @ 760 mm Hg:</b>	175°C (348°F)
<b>FREEZING POINT:</b>	-22°C (-8°F)
<b>DENSITY @ 20°C:</b>	1.123 kg/L
<b>VAPOUR DENSITY (Air = 1):</b>	2.1
<b>VAPOUR PRESSURE @ 20°C:</b>	Less than 0.1 mm Hg
<b>ODOUR THRESHOLD:</b>	Not Available
<b>pH @ 33%:</b>	Approx. 10
<b>% VOLATILES BY VOLUME:</b>	None
<b>SOLUBILITY IN WATER, % BY WT.:</b>	100
<b>EVAPORATION RATE (Butyl Acetate = 1):</b>	Less than 1
<b>APPEARANCE AND ODOUR:</b>	Fluorescent green liquid, mild odour

## III. HAZARDOUS INGREDIENTS

MATERIAL	%	CAS #	TLV (UNITS)	SOURCE
Ethylene Glycol	60-100	107-21-1	50 ppm ceiling, for	ACGIH 1993-94



Attn: Willis  
5995



# MATERIAL SAFETY DATA SHEET

according to GHS/CLP  
Inventory date: 07/02/2017

Reviewed on 07/02/2017

## I Identification of substance

Product details

Trade name **PENTOSIN LONG-TIME ANTIFREEZE**

Article number: 1301107

Application of the substance / the preparation Functional Fluid/Automotive Antifreeze

Manufacturer/Supplier:

Deutsche Pentosin-Werke GmbH  
Industriestraße 39 43  
D-22880 Wedel  
Germany  
Phone +49 4103 9134-0  
Fax +49 4103 9134-71

Informing department: Department QM-UM-Safety  
Emergency information: +49 (0)4103 / 91 34-0

## II Composition/Data on components:

Chemical characterization

38799

# MATERIAL SAFETY DATA SHEET

Prestone Products (Canada) Ltd  
4950 Yonge Street, Suite 810  
North York, Ontario M2N 6K1  
(416) 225-366

Emergency Telephone  
(24 Hours)  
CANUTEC  
(613) 998-8868

HAZARD RATING  
4 = Extreme  
3 = High  
2 = Moderate  
1 = Slight  
0 = Insignificant  
NFPA Hazard Identification

Fire - 1  
Health - 2  
Reactivity - 0  
Specific

### POISON CONTROL CENTRES

ONTARIO  
Toronto (416) 598-5900 or 1-800-268-9017  
Ottawa (613) 727-1100 or 1-800-267-1372 (French & English)

QUEBEC  
Ste. Foy (418) 858-8090 or 1-800-463-5050

ATLANTIC REGION  
Halifax (902) 426-8181  
St. John's (709) 721-1110

WESTERN CANADA  
Vancouver (604) 682-5050  
Calgary (403) 870-1414 or 1-800-332-1414

## IDENTIFICATION

PRODUCT NAME:  
TYPE:  
STOCK:  
FORMULA:

CELSIUS by Prestone All Vehicle Antifreeze/Coolant  
Inhibited Ethylene Glycol  
11502, 11519  
YA-943

## III. PHYSICAL DATA



## Antifreeze/Coolant

### SECTION 1. IDENTIFICATION

<b>Product Identifier</b>	Antifreeze/Coolant
<b>Other Means of Identification</b>	86-669, 86-669SHER, 26-669, 26-669-1000, 16-374, 16-374GD, 26-378-1000, 26-379, 36-374AXEXP, 36-374CQ, 36-374PMEXP, 36-374STP, 36-374STPEXP, 36-374TOT, 36-374U/N, 36-379AXEXP, 86-374, 86-374OEM, 86-379, 86-379-1000, BULK-163700, BULK-863700-M, BULK-16100, BULK-86100, 16-104, 16-104GD, 16-104LAU, 26-109, 26-109LAU, 36-104APREXP, 36-104AXEXP, 36-104C, 36-104CQ, 36-104FEDEXP, 36-104LOR, 36-104NAS, 36-104NAVEXP, 36-104PMEXP, 36-104PPEXP, 36-104PROFEXP, 36-104SO, 36-104SPROEXP, 36-104STP, 36-104STPXPR, 36-104U/N, 36-109AXEXP, 36-109C, 36-109NAVEXP, 36-109SPROEXP, 36-109U/N, 86-104OEM, 86-104OEMH, 86-109-1000, 86-109OEM, BULK-16100Y, BULK-86100Y, 16-314, 16-314GD, 16-314GOEME, 26-319, 26-319-1000, 36-314SO, 36-314U/N, 36-315SO, 36-319SO, 86-319, BULK-16760, 36-114ECO, BULK-16130, 16-174BOEMH, 16-174BOEMN, 86-174BOEM, 16-174POEMT, 86-174POEM, 86-174ROEM, 36-174C, 16-174YOEMK, 36-174U/N, 16-524, 16-525, 26-529, 26-529-1000, 36-524FS, 86-524, 26-669PC-1000
<b>Other Identification</b>	Ethylene Glycol, R1008
<b>Recommended Use</b>	Please refer to Product label.
<b>Restrictions on Use</b>	None known.
<b>Manufacturer/Supplier Identifier</b>	Recochem Inc., 850 Montee de Liesse, Montreal, QC, H4T 1P4, Compliance and Regulatory Department, 905-878-5544, www.recochem.com
<b>Emergency Phone No.</b>	CANUTEC, 613-996-6666, 24 Hours
<b>SDS No.</b>	1767

### SECTION 2. HAZARD IDENTIFICATION

73471

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 06/28/2016

Revision: 06/28/2016

### 1 Identification

- Product identifier
- Trade name: **Pentofrost A3**
- Product code: No other identifiers
- Recommended use and restriction on use  
 Recommended use: Coolant / Anti-freeze.  
 Restrictions on use: No relevant information available.
- Details of the supplier of the Safety Data Sheet  
 Manufacturer/Supplier:  
 CRP Industries  
 35 Commerce Dr.  
 Cranbury, NJ 08512  
 (609) 578-4100  
 info@crpindustries.com
- Emergency telephone number:  
 ChemTel Inc.  
 (800)255-3924, +1 (813)248-0585



### 2 Hazard(s) identification

- Classification of the substance or mixture





73690

### Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 27, 2017

Revision: March 27, 2017

#### 1 Identification

- Product identifier
- Trade name: **Pentofrost A1 Prediluted**
- Product code: No other identifiers
- Recommended use and restriction on use
- Recommended use: Coolant / Anti-freeze.
- Restrictions on use: No relevant information available.
- Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:  
CRP Industries  
35 Commerce Dr.  
Cranbury, NJ 08512  
(609) 578-4100  
info@crpindustries.com
- Emergency telephone number:  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)

#### 2 Hazard(s) identification



73691

### Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 27, 2017

Revision: March 27, 2017

#### 1 Identification

- Product identifier
- Trade name: **Pentofrost A2 Prediluted**
- Product code: No other identifiers
- Recommended use and restriction on use
- Recommended use: Coolant / Anti-freeze.
- Restrictions on use: No relevant information available.
- Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:  
CRP Industries  
35 Commerce Dr.  
Cranbury, NJ 08512  
(609) 578-4100  
info@crpindustries.com
- Emergency telephone number:  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)

#### 2 Hazard(s) identification

- Classification of the substance or mixture



# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 06/28/2016

Revision: 06/28/2016

## 1 Identification

- Product identifier
- Trade name: Pentofrost A4
- Product code: No other identifiers
- Recommended use and restriction on use  
Recommended use: Coolant / Anti-freeze.
- Restrictions on use: No relevant information available.
- Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:  
CRP Industries  
35 Commerce Dr.  
Cranbury, NJ 08512  
(609) 578-4100  
info@crpindustries.com
- Emergency telephone number:  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585



## 2 Hazard(s) identification

### Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

### Label elements

#### GHS label elements

This product is classified and labeled according to the Globally Harmonized System (GHS).

